




FOAMERS

mobile systems

1605

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	4
	BOX DIMENSIONS	65 x 48 x 100h cm / 25 x 19 x 39h in
	MAX PALLET DIMENSIONS	80 x 120 x 175h cm / 31 x 47 x 69h in
	WEIGHT WITHOUT BOX	30 Kg / 66 Lb
	WEIGHT WITH BOX	32 Kg / 70 Lb
	MAX PALLET WEIGHT	148 Kg / 326 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
POLYETHYLENE	55	1605

1610

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	4
	BOX DIMENSIONS	65 x 48 x 100h cm / 25 x 19 x 39h in
	PALLET DIMENSIONS	80 x 120 x 175h cm / 31 x 47 x 69h in
	WEIGHT WITHOUT BOX	30 Kg / 66 Lb
	WEIGHT WITH BOX	32 Kg / 70 Lb
	PALLET WEIGHT	148 Kg / 326 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
POLYETHYLENE	110	1610

1625

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	12
	BOX DIMENSIONS	41 x 38 x 95h cm / 16 x 38 x 37h in
	PALLET DIMENSIONS	100 x 120 x 180h cm / 30 x 47 x 71h in
	WEIGHT WITHOUT BOX	12 Kg / 26 Lb
	WEIGHT WITH BOX	14 Kg / 31 Lb
	PALLET WEIGHT	186 Kg / 410 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	24	1625

1645

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	8
	BOX DIMENSIONS	45 x 46 x 106h cm / 18 x 18 x 42 in
	MAX PALLET DIMENSIONS	100 x 120 x 195h cm / 39 x 47 x 77h in
	WEIGHT WITHOUT BOX	16 Kg / 35 Lb
	WEIGHT WITH BOX	18 Kg / 40 Lb
	MAX PALLET WEIGHT	166 Kg / 366 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	39,5	1645

1655

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	12
	BOX DIMENSIONS	41 x 38 x 95h cm / 16 x 38 x 37h in
	PALLET DIMENSIONS	100 x 120 x 180h cm / 30 x 47 x 71h in
	WEIGHT WITHOUT BOX	12 Kg / 26 Lb
	WEIGHT WITH BOX	14 Kg / 31 Lb
	PALLET WEIGHT	186 Kg / 410 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	24	1655

1665

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	8
	BOX DIMENSIONS	45 x 46 x 106h cm / 18 x 18 x 42 in
	PALLET DIMENSIONS	100 x 120 x 195h cm / 39 x 47 x 77h in
	WEIGHT WITHOUT BOX	16 Kg / 35 Lb
	WEIGHT WITH BOX	18 Kg / 40 Lb
	PALLET WEIGHT	166 Kg / 366 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	39.5	1665

1675

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	4
	BOX DIMENSIONS	65 x 48 x 100h cm / 25 x 19 x 39h in
	MAX PALLET DIMENSIONS	80 x 120 x 175h cm / 31 x 47 x 69h in
	WEIGHT WITHOUT BOX	30 Kg / 66 Lb
	WEIGHT WITH BOX	32 Kg / 70 Lb
	MAX PALLET WEIGHT	148 Kg / 326 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	39,5	1675


1685

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	QUANTITY FOR PALLET	6
	BOX DIMENSIONS	48 x 60 x 120h cm / 19 x 24 x 47h in
	PALLET DIMENSIONS	100 x 120 x 185h cm / 39 x 47 x 73h in
	WEIGHT WITHOUT BOX	26 Kg / 57 Lb
	WEIGHT WITH BOX	32 Kg / 70 Lb
	PALLET WEIGHT	177 Kg / 390 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	79,5	1685



FOAMERS

satellites

7801


2 FUNCTIONS

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

BOX DIMENSIONS		25x16x9h cm / 10x6x4h in
WEIGHT WITHOUT BOX	2 Kg / 4 Lb	
WEIGHT WITH BOX	2 Kg / 4 Lb	




DIAMETER	MAX PRESSURE (bar / psi)	STANDARD CODE
3/4"	2,5 - 5 / 36,2 - 72,5	7801 LP
3/4" - 1/2"	25 - 30 / 362,5 - 435,1	7801 MP
1/2" - 3/8"	100 - 300 / 1450,3 - 4351,1	7801 HP



7650

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

BOX DIMENSIONS		30x30x30h cm / 12x12x12h in
WEIGHT WITHOUT BOX	2 Kg / 4 Lb	
WEIGHT WITH BOX	2 Kg / 4 Lb	




DIAMETER	MAX PRESSURE (bar / psi)	STANDARD CODE
1/2"	50 - 150 / 725,1 - 2175,5	7650

7810

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

BOX DIMENSIONS		25x16x9h cm / 10x6x4h in
WEIGHT WITHOUT BOX	1 Kg / 2 Lb	
WEIGHT WITH BOX	1 Kg / 2 Lb	



DIAMETER	MAX PRESSURE (bar / psi)	STANDARD CODE
1/2"	25 - 30 / 362,5 - 435,1	7810 MP
1/2" - 3/8"	50 - 250 / 725,1 - 3625,9	7810 HP

7802


3 FUNCTIONS

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

BOX DIMENSIONS		25x16x9h cm / 10x6x4h in
WEIGHT WITHOUT BOX	3 Kg / 7 Lb	
WEIGHT WITH BOX	3 Kg / 7 Lb	




DIAMETER	MAX PRESSURE (bar / psi)	STANDARD CODE
3/4"	2,5 - 5 / 36,2 - 72,5	7802 LP
3/4" - 1/2"	25 - 30 / 362,5 - 435,1	7802 MP
1/2" - 3/8"	100 - 300 / 1450,3 - 4351,1	7802 HP



7620

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

BOX DIMENSIONS		30x21x19h cm / 12x8x7h in
WEIGHT WITHOUT BOX	2 Kg / 4 Lb	
WEIGHT WITH BOX	2 Kg / 4 Lb	




DIAMETER	MAX PRESSURE (bar / psi)	STANDARD CODE
1/2"	15 / 217,5	7620

7610

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

BOX DIMENSIONS		30x21x19h cm / 12x8x7h in
WEIGHT WITHOUT BOX		2 Kg / 4 Lb
WEIGHT WITH BOX		2 Kg / 4 Lb




DIAMETER	MAX PRESSURE (bar / psi)	STANDARD CODE
1/2"	2,5 - 10 / 36,2 - 145,0	7610

7615

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

BOX DIMENSIONS		30x21x19h cm / 12x8x7h in
WEIGHT WITHOUT BOX		2 Kg / 4 Lb
WEIGHT WITH BOX		2 Kg / 4 Lb




DIAMETER	MAX PRESSURE (bar / psi)	STANDARD CODE
3/4"	2,5 - 10 / 36,2 - 145,0	7615

7640

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

BOX DIMENSIONS		30x21x19h cm / 12x8x7h in
WEIGHT WITHOUT BOX		2 Kg / 4 Lb
WEIGHT WITH BOX		2 Kg / 4 Lb



DIAMETER	MAX PRESSURE (bar / psi)	STANDARD CODE
3/4"	4 / 58	7640

7840

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

BOX DIMENSIONS		30x40x40h cm / 12x16x16h in
WEIGHT WITHOUT BOX		5 Kg / 11 Lb
WEIGHT WITH BOX		5 Kg / 11 Lb



DIAMETER	MAX PRESSURE (bar / psi)	STANDARD CODE
1/2"	1,5 - 2,5 / 21,7 - 36,2	7840

7700

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

BOX DIMENSIONS		20 x 15 x 5h cm / 8x6x2h in
WEIGHT WITHOUT BOX		1 Kg / 2 Lb
WEIGHT WITH BOX		2 Kg / 4 Lb



DIAMETER	MAX PRESSURE (bar / psi)	STANDARD CODE
L= 10 mt (32 ft) 1/2" hose not included / tubo non incluso	4 - 6 / 58 - 87	7700




SPRAYERS

mobile systems

1604

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	4
	BOX DIMENSIONS	65 x 48 x 100h cm / 25 x 19 x 39h in
	MAX PALLET DIMENSIONS	80 x 120 x 175h cm / 31 x 47 x 69h in
	WEIGHT WITHOUT BOX	30 Kg / 66 Lb
	WEIGHT WITH BOX	32 Kg / 70 Lb
	MAX PALLET WEIGHT	148 Kg / 326 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
POLYETHYLENE	55	1604

1614

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	4
	BOX DIMENSIONS	65 x 48 x 100h cm / 25 x 19 x 39h in
	PALLET DIMENSIONS	80 x 120 x 175h cm / 31 x 47 x 69h in
	WEIGHT WITHOUT BOX	30 Kg / 66 Lb
	WEIGHT WITH BOX	32 Kg / 70 Lb
	PALLET WEIGHT	148 Kg / 326 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
POLYETHYLENE	110	1614

1624

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	12
	BOX DIMENSIONS	41 x 38 x 95h cm / 16 x 38 x 37h in
	PALLET DIMENSIONS	100 x 120 x 180h cm / 30 x 47 x 71h in
	WEIGHT WITHOUT BOX	12 Kg / 26 Lb
	WEIGHT WITH BOX	14 Kg / 31 Lb
	PALLET WEIGHT	186 Kg / 410 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	24	1624

1644

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	8
	BOX DIMENSIONS	45 x 46 x 106h cm / 18 x 18 x 42 in
	MAX PALLET DIMENSIONS	100 x 120 x 195h cm / 39 x 47 x 77h in
	WEIGHT WITHOUT BOX	14 Kg / 31 Lb
	WEIGHT WITH BOX	17 Kg / 37 Lb
	MAX PALLET WEIGHT	154 Kg / 339 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	39,5	1644

1654

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	12
	BOX DIMENSIONS	41 x 38 x 95h cm / 16 x 38 x 37h in
	PALLET DIMENSIONS	100 x 120 x 180h cm / 30 x 47 x 71h in
	WEIGHT WITHOUT BOX	11 Kg / 24 Lb
	WEIGHT WITH BOX	13 Kg / 29 Lb
	PALLET WEIGHT	174 Kg / 383 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	24	1654

1664

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel


	QUANTITY FOR PALLET	8
	BOX DIMENSIONS	45 x 46 x 106h cm / 18 x 18 x 42 in
	PALLET DIMENSIONS	100 x 120 x 195h cm / 39 x 47 x 77h in
	WEIGHT WITHOUT BOX	14 Kg / 31 Lb
	WEIGHT WITH BOX	17 Kg / 37 Lb
	PALLET WEIGHT	154 Kg / 339 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	39,5	1664


1684

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	QUANTITY FOR PALLET	6
	BOX DIMENSIONS	48 x 60 x 120h cm / 19 x 24 x 47h in
	MAX PALLET DIMENSIONS	100 x 120 x 185h cm / 39 x 47 x 73h in
	WEIGHT WITHOUT BOX	24 Kg / 53 Lb
	WEIGHT WITH BOX	26 Kg / 57 Lb
	MAX PALLET WEIGHT	177 Kg / 390 Lb



MATERIAL	CAPACITY (lt)	STANDARD CODE
AISI 304 PA 316 CA FE	79,5	1684



SPRAYERS

satellites

7500

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	BOX DIMENSIONS	62x37x35h cm / 24x14x14h in
	WEIGHT WITHOUT BOX	3 Kg / 7 Lb
	WEIGHT WITH BOX	4 Kg / 9 Lb



MAX PRESSURE (bar / psi)	STANDARD CODE
2 - 6 / 29 - 87	7500

7550

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	BOX DIMENSIONS	78x40x16h cm / 31x16x6h in
	WEIGHT WITHOUT BOX	4 Kg / 9 Lb
	WEIGHT WITH BOX	5 Kg / 11 Lb



MAX PRESSURE (bar / psi)	STANDARD CODE
2 - 6 / 29 - 87	7550

7020

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	BOX DIMENSIONS	30x21x18h cm / 12x8x7h in
	WEIGHT WITHOUT BOX	0,15 Kg / 0,33 Lb
	WEIGHT WITH BOX	0,30 Kg / 0,66 Lb



MAX PRESSURE (bar / psi)	STANDARD CODE
1,5 - 6 / 21.7 - 87	7020



DOSING PUMPS

P021

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	BOX DIMENSIONS	51x17x14h cm / 20x7x6h in
	WEIGHT WITHOUT BOX	2 Kg / 4 Lb
	WEIGHT WITH BOX	2 Kg / 4 Lb



MAX PRESSURE (bar / psi)	MATERIAL	MAX TEMPERATURE (°C / °F)	DOSING RATIO PERCENTAGE (%)	FLOW (l/min)	STANDARD CODE
0,2 - 5 / 2.9 - 72.5	Poliamyd and synthetic rubber seals, compatible with most chemicals	40 / 104	0,4 - 4 250/1 - 25/1	40	P021

P022

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	BOX DIMENSIONS	51x17x14h cm / 20x7x6h in
	WEIGHT WITHOUT BOX	2 Kg / 4 Lb
	WEIGHT WITH BOX	2 Kg / 4 Lb



MAX PRESSURE (bar / psi)	MATERIAL	MAX TEMPERATURE (°C / °F)	DOSING RATIO PERCENTAGE (%)	FLOW (l/min)	STANDARD CODE
0,2 - 5 / 2.9 - 72.5	Poliamyd and synthetic rubber seals, compatible with most chemicals	40 / 104	0,3 - 2 300/1 - 50/1	40	P022

P031 BY-PASS

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	BOX DIMENSIONS	51x17x14h cm / 20x7x6h in
	WEIGHT WITHOUT BOX	2 Kg / 4 Lb
	WEIGHT WITH BOX	2 Kg / 4 Lb



MAX PRESSURE (bar / psi)	MATERIAL	MAX TEMPERATURE (°C / °F)	DOSING RATIO PERCENTAGE (%)	FLOW (l/min)	STANDARD CODE
0,2 - 5 / 2.9 - 72.5	Poliamyd and synthetic rubber seals, compatible with most chemicals with internal by-pass	40 / 104	0,4 - 4 500/1 - 50/1	40	P031 BY-PASS

P032 BY-PASS

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	BOX DIMENSIONS	51x17x14h cm / 20x7x6h in
	WEIGHT WITHOUT BOX	2 Kg / 4 Lb
	WEIGHT WITH BOX	2 Kg / 4 Lb



MAX PRESSURE (bar / psi)	MATERIAL	MAX TEMPERATURE (°C / °F)	DOSING RATIO PERCENTAGE (%)	FLOW (l/min)	STANDARD CODE
0,2 - 5 / 2.9 - 72.5	Poliamyd and synthetic rubber seals, compatible with most chemicals with internal by-pass	40 / 104	0,3 - 2 300/1 - 50/1	40	P032 BY-PASS

P041 CLORO

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	BOX DIMENSIONS	51x17x14h cm / 20x7x6h in
	WEIGHT WITHOUT BOX	2 Kg / 4 Lb
	WEIGHT WITH BOX	2 Kg / 4 Lb



MAX PRESSURE (bar / psi)	MATERIAL	MAX TEMPERATURE (°C / °F)	DOSING RATIO PERCENTAGE (%)	FLOW (l/min)	STANDARD CODE
0,5 - 5 / 7.2 - 72.5	Poliamyd and synthetic rubber seals, compatible with chlorine products	40 / 104	0,4 - 4 250/1 - 25/1	40	P041 CLORO

P042 CLORO

MATERIALS	
AISI 304	Stainless steel
PA	Passivation treatment
AISI 316	Stainless steel AISI 316
CA	Cataphoric treatment steel
FE	Powder coating steel

	BOX DIMENSIONS	51x17x14h cm / 20x7x6h in
	WEIGHT WITHOUT BOX	2 Kg / 4 Lb
	WEIGHT WITH BOX	2 Kg / 4 Lb



MAX PRESSURE (bar / psi)	MATERIAL	MAX TEMPERATURE (°C / °F)	DOSING RATIO PERCENTAGE (%)	FLOW (l/min)	STANDARD CODE
0,5 - 5 / 7.2 - 72.5	Poliamyd and synthetic rubber seals, compatible with chlorine products	40 / 104	0,3 - 2 300/1 - 50/1	40	P042 CLORO